



AN IHG® HOTEL



Guestroom LVT | REG-LVT01.1

Style	LV153
Color	00500
Construction	Commercial Luxury Vinyl Tile with Fiberglass
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.197 in 5.0 mm
Nominal Dimensions	9 in × 59 in 23 cm × 150 cm
Actual Dimensions	9.25 in × 59.25 in 23.50 cm × 150.50 cm
Installation	Direct Glue, Floating or Perimeter Glue
Approved Install Method	Stagger
Area Per Box	22.84 sq ft 6 pcs per box
Warranty	15 Year Commercial Limited


For sample, order BS102 color 00500.

Elevator Cab style BS243 | color 00500.




Lobby | REP-RG02.1.2

Style	42KKS
Color	Z314D-0
Product Type	Area Rug*
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	5 ft × 13 ft 1.5 m × 4 m
Backing	Ultraloc®
Installation	Loose Lay on Hard Surface
Warranty	1 Year Commercial Limited



*Note: Binding color option 578, surge color option 5384D

For sample, order BS021 color Z314D-0.



Lounge | REP-RG01.1.2

Style	42kks
Color	Z317d-0
Product Type	Area Rug*
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	11 ft 10 in × 11 ft 10 in 3.61 m × 3.61 m
Backing	Ultraloc®
Installation	Loose Lay on Hard Surface
Warranty	1 Year Commercial Limited


For sample, order BS022 color Z317D-0.

*Note: Binding color option 578, surge color option 5384D




Corridor | REP-CPT01.1.2

Style	42KKQ
Color	Y169R
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	72 in × 240 in 1.83 m × 6.1 m
Backing	ClassicBac® PC
Installation	Direct Glue
Warranty	10 Year Commercial Limited




For sample, order BS018 color Y169R.



Corridor Elevator Lobby | REP-CPT03.1.2

Style	42KKQ
Color	Z909G
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	144 in × 265.6 in 3.66 m × 6.75 m
Backing	ClassicBac® PC
Installation	Direct Glue
Warranty	10 Year Commercial Limited

For sample, order BS019 color Z909G.



Additional Product Options

Corridor Transition | REP-CPT02.1.2

Style	42KKP
Color	Y085S
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	72.0 in × 156.8 in 1.83 m × 3.98 m
Backing	ClassicBac® PC
Installation	Direct Glue
Warranty	10 Year Commercial Limited



For sample, order BS165 color Y085S.

Corridor Carpet Base Custom Colorpoint | REP-CB01.1.1.2

Style	42KKR
Color	Y085S
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	4 in
Backing	Ultraloc®
Installation	Direct Glue
Warranty	1 Year Commercial Limited




For sample, order BS020 color Y085S.

Additional Product Options

Stairwell | REP-CPT04.1.2


Style	BS132
Color	34512 adrift
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Graphic Loop
Tufted Weight	30.0 oz/yd ² 1017.2 g/m ²
Gauge	1/8 in 31.5 per 10 cm
Stitches	12 per in 48 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	None
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited



For sample, order BS132 color 34512.

BOH Office | REP-CPT05.1.2

Style	BS134
Color	27585 gleam
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Graphic Loop
Tufted Weight	24.0 oz/yd ² 813.8 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 41 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	0.593 in × 0.781 in 1.51 cm × 1.98 cm
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited



For sample, order BS134 color 27585.

Additional Product Options

Optional Guestroom LVT Underlayment

Style	Groundworks 087VS
Thickness	0.05 in 1.4 mm
Roll Size	100 sq ft 9.29 sq m
Roll Weight	13 lbs 5.9 kg

