






Guestroom | CIS-CPT-021.3

Style	BS051
Color	Z943K
Product Type	Broadloom
Fiber	Eco Solution Q [®] Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32.0 oz/yd ² 1085.01 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	12 per in 47.2 per 10 cm
Size	13 ft 3.96 m
Pattern Repeat	52 in w x 52 in l 1.32 m w x 1.32 m l
Backing	Classicbac [®]
Installation	Stretch In
Warranty	10 Year Commercial Limited



For sample, order BS051 color Z943K.



Guestroom | CIS-LVT-21.1


Style	BS099
Color	00604
Product Type	COREtec®
Construction	Multilayer WPC With Attached Cork Underlayment
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.315 in 8.0 mm
Nominal Dimensions	7 in × 48 in 18 cm × 122 cm
Actual Dimensions	7.13 in × 48.03 in 18.11 cm × 122 cm
Installation	Floating
Approved Install Method	Stagger
Area Per Box	38.03 sq ft 16 pcs per box*
Warranty	15 Year Commercial Limited

For sample, order BS099 color 00604.

*Must purchase in full box quantities.

Carpet Base: Guest Room | CIS-CPT-021.3A

Style	BS052
Color	Z625M
Product Type	Carpet Base
Fiber	Eco Solution Q [®] Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd ² 1017.2 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9.33 per in 36.73 per 10 cm
Size	4 in
Backing	Classicbac [®]
Installation	Direct Glue
Warranty	1 Year Commercial Limited



For sample, order BS052 color Z625M.

Meeting Room | CIS-CPT-02


Style	BS114
Color	03525
Product Type	Broadloom
Fiber	Eco Solution Q [®] Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	32.0 oz/yd ² 1085.01 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	12 per in 47.2 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	6 in × 12 in 15.24 cm × 30.48 cm
Backing	Classicbac [®]
Installation	Direct Glue
Warranty	10 Year Commercial Limited




For sample, order BS114 color 03525.

Carpet Base: Corridor & Meeting Room | CIS-CPT-01A

Style	BS123
Color	S88IJ
Product Type	Carpet Base
Fiber	Eco Solution Q [®] Nylon
Dye Method	100% Solution Dyed
Construction	Cut Pile
Tufted Weight	30.0 oz/yd ² 1017.2 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9.33 per in 36.73 per 10 cm
Size	4 in
Backing	Classicbac [®]
Installation	Direct Glue
Warranty	1 Year Commercial Limited



For sample, order BS123 color S88IJ.



For sample, order BS047 or BS048 color T700B.

Corridor | CIS-CPT-01

Style	BS047 13 ft 6 in BS048 15 ft
Color	T700B
Product Type	Broadloom
Fiber	Eco Solution Q [®] Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1220.65 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	13 per in 50 per 10 cm
Size	13 ft 6 in 4.11 m 15 ft 4.57 m
Pattern Repeat	9 in w x 42.8 in l 22.86 cm w x 108.71 cm l
Backing	Classicbac [®]
Installation	Direct Glue
Warranty	20 Year Commercial Limited



Wall Wood Cladding | CIS-MW-01

Style	BS105
Color	00146
Construction	Engineered Ply-Core Hardwood with Tongue and Groove
Overall Thickness	0.55 in 14.0 mm
Nominal Dimensions	7.48 in × 74.8 in 19 cm × 190 cm*
Installation	Nail, Staple, or Direct Glue
Area Per Box	31.09 sq ft
Edge Profile	Micro-Bevel
Finish	UV Cured Urethane With Aluminum Oxide
Recommended Adhesive	CA884 35 MC Direct Glue Adhesive



*Boxes may contain random lengths.

For sample, order BS105 color 00146.

Additional Product Options

Guestroom Cushion

Style	330FT
Description	Fiber Touch
Weight	32 oz 1085 g/m ²
Thickness	0.312 in 7.92 mm
Density	8.5 lb/ft ³ 136 kg/m ³
Square Yards Per Roll	40

Public Space Cushion

Style	034FS
Description	Double Stick
Weight	34 oz 1153 g/m ²
Thickness	0.3125 in 7.94 mm
Density	8.5 lb/ft ³ 136 kg/m ³
Square Yards Per Roll	40

Broadloom Adhesive

Style	H1000
Description	Shaw 1000 4 gallon pail
Spread Rate	8-10 sy per gallon

Broadloom Seam Sealer

Style	H4000
Description	Shaw 4000 1 quart
Spread Rate	550-600 lf per quart

