


FLOORING STANDARDS

Casual Scheme





Guestroom | C-01

Style	BS015
Color	Z688G
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	26.0 oz/yd ² 881.57 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	9 in × 36 in 22.86 cm × 91.44 cm
Backing	EcoLogix® (Attached Cushion)
Installation	Direct Glue
Approved Installation Method	Brick
Warranty	Lifetime Commercial Limited

For sample, order BS015 color Z688G.




FLOORING STANDARDS

Casual Scheme




Guestroom | C-01 ALT 1

Style	BS014 – 15’ BS155 – 12’
Color	Z687G
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32.0 oz/yd ² 1085.0 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m 12 ft 3.66 m
Pattern Repeat	72 in × 108 in 182.90 cm × 274.32 cm
Backing	Classicbac®
Installation	Stretch In
Warranty	10 Year Commercial Limited



For sample, order BS014 color Z687G.



Lobby | C-10

Style	BS083
Color	Z682R
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in × 92 in 228.6 cm × 233.68 cm
Backing	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited

For sample, order BS083 color Z682R.



FLOORING STANDARDS

Casual Scheme




Lobby | C-10 ALT 1


Style	BS082
Color	Z674R
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in × 92 in 228.6 cm × 233.68 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	20 Year Commercial Limited



For sample, order BS082 color Z674R.



For sample, order BS071 color Z621R.



For sample, order BS074 color Z627R.

Lobby | C-10 ALT 2

Style	BS071 BS074
Color	Z621R Z627R
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd ² 1017.17 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9 per in 34 per 10 cm
Size	9 in × 36 in 22.86 cm × 91.44 cm
Backing	EcoLogix® (Attached Cushion)
Installation	45° Herringbone Mix
Approved Installation Method	Direct Glue
Warranty	Lifetime Commercial Limited



FLOORING STANDARDS


Casual Scheme



Corridor | C-11


Style	BS073
Color	Z681R
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in × 204 in 228.6 cm × 518.16 cm
Backing	Ultraloc®
Install Method	Direct Glue
Warranty	Lifetime Commercial Limited

Elevator Lobby style BS086 | color Z680R






For sample, order BS073 color Z681R.

Casual Scheme



Corridor I C-11

-  Elevator Lobby
-  Overlook
-  Corridor




FLOORING STANDARDS

Casual Scheme



Corridor | C-11 ALT 1


Style	BS072
Color	Z963R
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57
Pattern Repeat	90 in × 204 in 228.6 cm × 518.16 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	20 Year Commercial Limited






Elevator Lobby style BS085 | color Z962R

For sample, order BS072 color Z963R.

Casual Scheme



Corridor I C-11 ALT 1

-  Elevator Lobby
-  Overlook
-  Corridor



FLOORING STANDARDS


Casual Scheme




Corridor | C-11 ALT 2

Style	BS071 BS070
Color	Z621R Z622R
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd ² 1017.17 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9 per in 34 per 10 cm
Size	9 in × 36 in 22.86 cm × 91.44 cm
Backing	Ecologix® (Attached Cushion)
Installation	Direct Glue
Approved Installation Method	BS071 Stagger + Herringbone BS070 Herringbone Mix
Warranty	Lifetime Commercial Limited

Elevator Lobby style BS071 | color Z621R




For sample, order BS071 color Z621R.






For sample, order BS070 color Z622R.

Casual Scheme



Corridor I C-11 ALT 2

-  Elevator Lobby
-  Overlook
-  Corridor



FLOORING STANDARDS


Casual Scheme



Meeting Room | C-12

Style	BS079
Color	Z760R
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	180 in × 180 in 457.2 cm × 457.2 cm
Backing	Ultraloc®*
Installation	Direct Glue
Warranty	Lifetime Commercial Limited

*Attached cushion backing available.
Must be submitted to Hilton Supply Management for approval.



For sample, order BS079 color Z760R.



Meeting Room | C-12 ALT 1

Style	BS078
Color	Z759R
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	180 in × 180 in 457.2 cm × 457.2 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	20 Year Commercial Limited

For sample, order BS078 color Z759R.




FLOORING STANDARDS

Casual Scheme




Meeting Room | C-12 ALT 2

Style	BS071
Color	Z621R
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd ² 1017.17 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9 per in 34 per 10 cm
Size	9 in × 36 in 22.86 cm × 91.44 cm
Backing	Ecologix® (Attached Cushion)
Installation	Direct Glue
Approved Installation Method	Basketweave
Warranty	Lifetime Commercial Limited



For sample, order BS071 color Z621R.



Back of House | C-13

Style	BS323
Color	11760
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	32.0 oz/yd ² 1085.0 g/m ²
Gauge	1/10 inch 39.4 per 10 cm
Stitches	12 per inch 47 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	12 in x 18 in 30.48 cm x 45.72 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited

For sample, order BS323 color 11760.



FLOORING STANDARDS

Casual Scheme




Back of House | C-13 ALT 1

Style	BS152
Color	72759
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Loop
Tufted Weight	17.0 oz/yd ² 576.41 g/m ²
Gauge	1/12 in 47.2 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	9 in × 36 in 22.86 cm × 91.44 cm
Backing	EcoWorx® Tile
Installation	Direct Glue
Approved Installation Method	Monolithic, Ashlar, Stagger, Herringbone, Brick
Warranty	Lifetime Commercial Limited



For sample, order BS152 color 72759.



Employee Lounge | LVT-10

Style	BS250
Color	84429
Construction	Commercial Luxury Vinyl Tile
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.098 in 2.5 mm
Nominal Dimensions	12 in × 24 in 30 cm × 61 cm
Actual Dimensions	12 in × 24 in 30.48 cm × 60.96 cm
Area Per Box	36 sq ft 18 pcs
Installation	Direct Glue
Approved Installation Method	Ashlar
Warranty	15 Year Commercial Limited


For sample, order BS250 color 84429.



Additional Product Options

4" Carpet Base – Corridor + Meeting Room


Style	BS358
Color	32583 Macro
Dye Method	100% Piece Dyed
Construction	Solid Cut Pile
Size	12 ft



For sample, order BS358 color 32583.

4" Carpet Base – Corridor + Meeting Room (Print)

Style	BS359
Color	32592
Dye Method	100% Piece Dyed
Construction	Solid Cut Pile
Size	12 ft



For sample, order BS359 color 32592.



Additional Product Options

Cushion – Guestroom

Style	BS119
Weight	32.0 oz
Thickness	0.312 in
Density	8.5 lbs
Square Yards Per Roll	40

For sample, order BS119.

Cushion – Public Space + Corridor

Style	BS120
Weight	47.0 oz
Thickness	0.20 in
Density	19 lbs
Square Yards Per Roll	30

For sample, order BS120.



Casual Scheme

Additional Product Options

Broadloom Adhesive

Style	H1000
Description	Shaw 1000 4 gallon pail
Spread Rate	8-10 sy per gallon

Carpet Tile Adhesive

Style	N5100
Description	Shaw 5100 4 gallon pail
Spread Rate	28-33 sy per gallon

Seam Sealer

Style	H4000
Description	Shaw 4000 1 quart
Spread Rate	550-600 lf per quart

LVT Adhesive

Style	027VS
Description	Shaw 4100 1 gallon pail
Spread Rate	175-225 sf per gallon

Cove Base Adhesive (Tube)

Style	141VS
Description	Cove base adhesive 30 oz per tube 12 tubes per box
Spread Rate	55-60 lf per tube

Cove Base Adhesive

Style	166VS
Description	Cove base adhesive 1 gallon pail
Spread Rate	240 lf per gallon

