


FLOORING STANDARDS

Confident Scheme





Guestroom | C-01

Style	BS008
Color	Y123H
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	21.0 oz/yd ² 712.04 g/m ²
Gauge	1/12 in 47.2 per 10 cm
Stitches	9.67 per in 38.07 per 10 cm
Size	9 in × 36 in 22.86 cm × 91.44 cm
Backing	Ecologix® (Attached Cushion)
Approved Install Method	Brick
Warranty	Lifetime Commercial Limited

For sample, order BS008 color Y123H.



FLOORING STANDARDS

Confident Scheme




Guestroom | C-01 ALT 1

Style	BS007—15' BS355—12'
Color	Y859N
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32.0 oz/yd ² 1,085.0 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10.83 per in 42.64 per 10 cm
Size	15 ft 4.57 m 12 ft 3.66 m
Pattern Repeat	72 in × 72 in 1.83 m × 1.83 m
Backing	Classicbac®
Installation	Stretch In
Warranty	10 Year Commercial Limited



For sample, order BS007 color Y859N.



Lobby & Breakfast Area | C-10

Style	BS013
Color	Y295K
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	42 in × 35.2 in 106.68 cm × 89.41 cm
Backing	Ultraloc®*
Installation	Direct Glue
Warranty	Lifetime Commercial Limited

For sample, order BS013 color Y295K.

*Also available with attached cushion.




FLOORING STANDARDS

Confident Scheme



Lobby + Breakfast Area | C-10 ALT 1


Style	BS131
Color	Y822Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	45 in × 35.2 in 114.3 × 89.41 cm
Backing	Classicbac®*
Installation	Direct Glue
Warranty	20 Year Commercial Limited



For sample, order BS131 color Y822Z.

*Also available with attached cushion.

FLOORING STANDARDS
Confident Scheme



Lobby + Breakfast Area | C-10 ALT 2

Style	BS024
Color	Y081Y
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd ² 1,017.17 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9.33 per in 36.73 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	Ecologix® (Attached Cushion)
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited


For sample, order BS024 color Y081Y.




Corridor | C-11

Style	BS011
Color	Y134H
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Soluton Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90.0 in × 140.8 in 2.29 m × 3.58 m
Backing	Ultraloc®*
Installation	Direct Glue
Warranty	Lifetime Commercial Limited

*Also available with attached cushion.



For sample, order BS011 color Y134H.



Elevator Lobby and/or Overlook | C-11 Ele


Style	BS012
Color	48094
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Soluton Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90.0 in × 83.2 in 2.29 m × 2.11 m
Backing	Ultraloc®*
Installation	Direct Glue
Warranty	Lifetime Commercial Limited

For sample, order BS012 color 48094.

*Also available with attached cushion.



FLOORING STANDARDS
Confident Scheme






Corridor | C-11 ALT 1

Style	BS043
Color	Y821Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in × 140.8 in 2.29 m × 3.58 m
Backing	Classicbac®*
Installation	Direct Glue
Warranty	20 Year Commercial Limited

*Also available with attached cushion.



For sample, order BS043 color Y821Z.



FLOORING STANDARDS
Confident Scheme



Elevator Lobby and/or Overlook | C-11 Ele ALT 1


Style	BS044
Color	Y432Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Soluton Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90.0 in × 83.2 in 2.29 m × 2.11 m
Backing	Ultraloc®*
Installation	Direct Glue
Warranty	Lifetime Commercial Limited

*Also available with attached cushion.



For sample, order BS044 color Y432Z.

FLOORING STANDARDS
Confident Scheme






FLOORING STANDARDS
Confident Scheme




Corridor & Elevator Lobby | C-11 ALT 2

Style	BS025
Color	Y079Y
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd ² 1,017.17 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9.33 per in 36.73 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	Ecologix® (Attached Cushion)
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited






For sample, order BS025 color Y079Y.

FLOORING STANDARDS
Confident Scheme



Corridor | C-11 ALT 2

-  Elevator Lobby
-  Overlook
-  Corridor




FLOORING STANDARDS
Confident Scheme



Meeting Room | C-12


Style	BS010
Color	Y129H
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in × 87 in 2.29 m × 2.21 m
Backing	Ultraloc®*
Installation	Direct Glue
Warranty	Lifetime Commercial Limited

*Also available with attached cushion.



For sample, order BS010 color Y129H.

FLOORING STANDARDS
Confident Scheme



Meeting Room | C-12 ALT 1

Style	BS045
Color	Y430Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in × 87 in 2.29 m × 2.20 m
Backing	Classicbac®*
Installation	Direct Glue
Warranty	20 Year Commercial Limited

For sample, order BS045 color Y430Z.

*Also available with attached cushion.




FLOORING STANDARDS

Confident Scheme




Meeting Room | C-12 ALT 2

Style	BS023
Color	Y080Y
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd ² 1,017.17 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9.33 per in 36.73 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	Ecologix® (Attached Cushion)
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited



For sample, order BS023 color Y080Y.



Back of House | C-13


Style	BS324
Color	11760
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	32.0 oz/yd ² 1085.0 g/m ²
Gauge	1/10 inch 39.4 per 10 cm
Stitches	12 per inch 47 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	12 in × 18 in 30.48 cm × 45.72 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited

For sample, order BS324 color 11760.




Back of House | C-13 ALT 1

Style	BS116
Color	86535
Product Type	Carpet Tile
Fiber	Eco Solution Q [®] Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Loop
Tufted Weight	16.0 oz/yd ² 542.49 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 41 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	Ecworx [®] Tile
Installation	Direct Glue
Approved Install Method	Ashlar, Brick, Monolithic, Quarter Turn
Warranty	Lifetime Commercial Limited



For sample, order BS116 color 86535.

FLOORING STANDARDS
Confident Scheme



Employee Lounge | LVT-10

Style	BS122
Color	84405
Construction	Commercial Luxury Vinyl Tile
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.098 in 2.5 mm
Nominal Dimensions	12 in × 24 in 30 cm × 61 cm
Actual Dimensions	12 in × 24 in 30.48 cm × 60.96 cm
Area Per Box	36 sq ft 18 pcs
Installation	Direct Glue
Approved Install Method	Ashlar
Warranty	15 Year Commercial Limited

For sample, order BS122 color 84405.



Additional Product Options

4" Carpet Base | B-12 – Corridor + Meeting Room

Style	BS118
Color	32583 Macro
Product Type	Broadloom
Dye Method	100% Piece Dyed
Construction	Solid Cut Pile
Size	12 ft



For sample, order BS118 color 32583.

Cushion – Guestroom

Style	BS119
Weight	32.0 oz
Thickness	0.312 in
Density	8.5 lbs
Square Yards Per Roll	40

For sample, order BS119.

Cushion – Public Space + Corridor

Style	BS120
Weight	47.0 oz
Thickness	0.20 in
Density	19 lbs
Square Yards Per Roll	30

For sample, order BS120.




Additional Product Options

*Use of the following product options must be submitted for approval to Hilton Supply Management.

4" Vinyl Base – Guestroom + Back Of House


Style	BS166
Color	00066 Night
Construction	TPR (Thermoplastic Rubber)
Size	1440 in length x 4 in width
Linear Ft Per Box	120 1 piece per box



For sample, order BS166 color 00066.

4" Carpet Base – Guestroom Dark Option

Style	BS121
Color	50992 Nightlife
Dye Method	100% Piece Dyed
Construction	Solid Cut Pile
Size	12 ft



For sample, order BS121 color 50992.

4" Carpet Base – Guestroom Light Option

Style	BS380
Color	32583 Macro
Dye Method	100% Piece Dyed
Construction	Solid Cut Pile
Size	12 ft



For sample, order BS380 color 32583.



Additional Product Options

Broadloom Adhesive

Style	H1000
Description	Shaw 1000 4 gallon pail
Spread Rate	8-10 sy per gallon

Carpet Tile Adhesive

Style	N5100
Description	Shaw 5100 4 gallon pail
Spread Rate	28-33 sy per gallon

Seam Sealer

Style	H4000
Description	Shaw 4000 1 quart
Spread Rate	550-600 lf per quart

LVT Adhesive

Style	027VS
Description	Shaw 4100 1 gallon pail
Spread Rate	175-225 sf per gallon

Cove Base Adhesive (Tube)

Style	141VS
Description	Cove base adhesive 30 oz per tube 12 tubes per box
Spread Rate	55-60 lf per tube

Cove Base Adhesive

Style	166VS
Description	Cove base adhesive 1 gallon pail
Spread Rate	240 lf per gallon

