







Guest Room + Guest Bathroom

style
color
construction
wear layer thickness
overall thickness
nominal dimensions
actual dimensions
installation

approved install method

area per box warranty BS129

48599 | french grey

commercial luxury vinyl tile with fiberglass

20 mil | 0.02 in | 0.51 mm

0.197 in | 5.0 mm

6 in x 48 in | 15 cm x 122 cm

6.00 in x 48.00 in | 15.24 cm x 121.92 cm

direct glue ashlar

20 sq ft | 10 pcs per box 15 year commercial limited



For sample, order BS129 color 48599.

Well Nested Scheme







For sample, order BS130 color 02500.


Guest Room + Guest Bathroom

style
color
construction
wear layer thickness
overall thickness
nominal dimensions
actual dimensions
installation
approved install method
area per box
warranty

BS130
02500 | french grey
commercial luxury vinyl tile
20 mil | 0.02 in | 0.51 mm
0.118 in | 3.0 mm
6 in x 36 in | 15 cm x 91.5 cm
5.91 in x 36.22 in | 15.01 cm x 92.00 cm
direct glue
ashlar
35.65 sq ft | 24 pcs per box

15 year commercial limited





Meeting Rooms + Corridors

styleBS124colorZ178Yproduct typebroadloom

fibereco solution q® nylondye method100% solution dyedconstructionmulti-level loop tip sheartufted weight36.0 oz/yd² | 1220.64 g/m²gauge1/10 per in | 39.4 per 10 cmstitches12.5 per in | 49 per 10 cm


ze 12 ft | 3.66 m

72 in x 36 in | 182.88 cm x 91.44 cm

backing classicbac® installation direct glue

pattern repeat


warranty 10 year commercial limited




For sample, order BS124 color Z178Y.

Well Nested Scheme










Meeting Rooms + Corridors

styleBS125colorZ663Zproduct typecarpet tilefibereco solution q® nylon

 $\begin{array}{lll} \mbox{dye method} & 100\% \ \mbox{solution dyed} \\ \mbox{construction} & \mbox{multi-level loop tip shear} \\ \mbox{tufted weight} & 24.0 \ \mbox{oz/yd}^2 \ \ \mbox{813.76 g/m}^2 \\ \mbox{gauge} & 1/10 \ \mbox{in} \ \ \mbox{39.4 per 10 cm} \\ \mbox{stitches} & 9.67 \ \mbox{per in} \ \ \mbox{38.07 per 10 cm} \\ \mbox{size} & 24 \ \mbox{in} \ \ \mbox{24 in} \ \ \mbox{24 in} \ \ \mbox{61 cm} \ \mbox{x 61 cm} \\ \end{array}$

backing ecoworx® tile installation direct glue approved install method monolithic


warranty lifetime commercial limited



For sample, order BS125 color Z663Z.


Well Nested Scheme







Well Nested Scheme



Lobby

style color construction wear layer thickness overall thickness nominal dimensions actual dimensions installation approved install method

area per box warranty

BS128 16115 | wool commercial luxury vinyl tile 20 mil | 0.02 in | 0.51 mm 0.098 in | 2.5 mm 18 in x 36 in | 45.5 cm x 91.5 cm 18.00 in x 36.00 in | 45.72 cm x 91.44 cm direct glue ashlar

45 sq ft | 10 pcs per box

15 year commercial limited



For sample, order BS128 color 16115.